Qty:

Each

5 Um:

: CABIN FLOOR PROTECTOR

: D35742

: N/A

: A

: D3574 REV.A

: 23/04/2008

Date:

Tuesday, 15/04/2008 3:33:50 PM

User:

Julie Lecocq

Process Sheet

Drawing Name

Part Number

Material

Due Date

Drawing Number

Project Number

Drawing Revision

Customer

: CU-DAR001 Dart Helicopters Services

Job Number **Estimate Number** : 38610

: 12661

P.O. Number This Issue

: 15/04/2008

: NC Prsht Rev.

First Issue

: 11

S.O. No. :

Type

: SMALL /MED FAB

: 38513 **Previous Run**

Written By

Checked & Approved By Comment

: Est Rev : A New Issue 07-01-22

Additional Product

Job Number:



Seq. #:

Machine Or Operation:

Description:

MLEXS125F6002904 1.0

GE PLASTICS LEXAN SHEET



Comment: Qty.: 33.6000 sf(s)/Unit

Total: 168.0000 sf(s)

lexan sheet

Batch: 103 106

2.0



Comment: FLOW WATER JET

1-Cut as per Dwg D3574

Dwg Rev:_ Prog Rev:_ B 9-4-16



2-Deburr if necessary

3.0

B 8-4-16



Comment: INSPECT PARTS AS THEY COME OFF MACHINE

4.0

QC8


SECOND CHECK

Comment: SECOND CHECK

5.0

SMALL FAB 1

SMALL & MEDIUM FAB RESOURCE



Comment: SMALL & MEDIUM FAB RESOURCE 1

Deburr if necessary.

08.04.19



Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approva QC Inspecto
				:			
							
					_		
Part No	•	PAR #: Pault Category: NO	CR: Yes	No DQ	A:	Date:	
			QA:	N/C Close	d:	Date:	

		WORK ORDER NON-CONFORMANCE (NCR)						
	Description of NC		Corrective Action Section B					
STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Chief Eng	Approval QC inspector	
<u> </u>								
				·				
	STEP	STEP Description of NC	STEP Description of NC Section A Initial	STEP Description of NC Section A Initial Action Description	STEP Description of NC Section A Initial Chief Eng Corrective Action Section B Initial Chief Eng Chief Eng Chief Eng Chief Eng Chief Eng Corrective Action Section B Sign & Date	STEP Description of NC Section A Initial Chief Eng Corrective Action Section B Initial Chief Eng Chief Eng Corrective Action Description Chief Eng Chief Eng Chief Eng Corrective Action Section B Verification Section C	STEP Description of NC Section A Chief Eng Corrective Action Section B Verification Section C Chief Eng Ch	

NOTE: Date & initial all entries

Date: Tuesday, 15/04/2008 3:33:50 PM User: Julie Lecocq **Process Sheet Drawing Name: CABIN FLOOR PROTECTOR** Customer: CU-DAR001 Dart Helicopters Services Job Number: 38610 Part Number: D35742 Job Number: Seq. #: **Description: Machine Or Operation:** INSPECT WORK TO CURRENT STEP 6.0 QC5 Comment: INSPECT WORK TO CURRENT STEP PACKAGING 1 PACKAGING RESOURCE #1 7.0 Comment: PACKAGING RESOURCE #1 Identify with P/N and B/N using a permanent fine point marker, then Stock QC21 FINAL INSPECTION/W/O RELEASE 8.0 Comment: FINAL INSPECTION/W/O RELEASE 08-04-24 Job Completion

Dar	t A	eros	na	ce	l td
∠ aı		51 V3	, va	-	


W/O:			WORK ORDER	CHANGES					
DATE	STEP	PROC	EDURE CHANGE		Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
		7 (100) (100)				ac.			
			•						
Part No	:	PAR #:	_ Fault Category:	NCR	R: Yes	No DQ	4:	Date:	
·								_ Date:	
NCR:		W	ORK ORDER NON-COM	FORMANCE	(NC	R)			
			1						

NCR:			WORK ORDI	DER NON-CONFORMANCE (NCR)							
		Description of NC		Corrective Action Section E	Verification	Annewal	Annaval				
DATE	STEP Section A Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Approval Chief Eng	Approval QC Inspector					
	E .										
					1			I			

NOTE: Date & initial all entries



	DESIG	E	DRAWN BY	DART AEROSPACE HAWKESBURY, ONTARIO, CAN	
ı	CHEC	(ED	APPROVED,	DRAWING NO.	REV. A
				D3574	SHEET 1 OF 5
Ì	DATE			TITLE	SCALE
	07.0	6.08		CABIN FLOOR PROTECTOR	1:14
	Α		07.06.08	NEW ISSUE	



D3574-1 CABIN FLOOR PROTECTOR (SHOWN), D3574-2 (OPPOSITE)


NOTES:


- 1) MATERIAL: F60029 GREY LEXAN SHEET (HEAVY HAIRCELL TEXTURE), 0.125 THICK, TEXTURED SIDE UP (REF DART SPEC MLEXS.125-F60029-04)
- 2) FINISH: NONE
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) IDENTIFY WITH DART P/N "D3574-1/-2" USING FINE POINT PERMANENT INK MARKER ON SMOOTH SIDE OF PART
- 5) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED
- 6) BREAK ALL SHARP EDGES 0.005 TO 0.010 MAX
- 7) CHECK PER TEMPLATE DT8961

Copyright @ 2007 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.







D3574-3 CABIN FLOOR PROTECTOR


NOTES:


- 1) MATERIAL: F60029 GREY LEXAN SHEET (HEAVY HAIRCELL TEXTURE), 0.125 THICK, TEXTURED SIDE UP (REF DART SPEC MLEXS.125-F60029-04)
- 2) FINISH: NONE
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) IDENTIFY WITH DART P/N "D3574-3" USING FINE POINT PERMANENT INK MARKER ON SMOOTH SIDE OF PART
- 5) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED
- 6) BREAK ALL SHARP EDGES 0.005 TO 0.010 MAX
- 7) CHECK PER TEMPLATE DT8962

Copyright @ 2007 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.








NOTES:


- 1) MATERIAL: F60029 GREY LEXAN SHEET (HEAVY HAIRCELL TEXTURE), 0.125 THICK, TEXTURED SIDE UP (REF DART SPEC MLEXS.125-F60029-04)
- 2) FINISH: NONE
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) IDENTIFY WITH DART P/N "D3574-4" USING FINE POINT PERMANENT INK MARKER ON SMOOTH SIDE OF PART
- 5) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED
- 6) BREAK ALL SHARP EDGES 0.005 TO 0.010 MAX
- 7) CHECK PER TEMPLATE DT8963

Copyright © 2007 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.








NOTES:


- 1) MATERIAL: F60029 GREY LEXAN SHEET (HEAVY HAIRCELL TEXTURE), 0.125 THICK, TEXTURED SIDE UP (REF DART SPEC MLEXS.125-F60029-04)
- 2) FINISH: NONE
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) IDENTIFY WITH DART P/N "D3574-5" USING FINE POINT PERMANENT INK MARKER ON SMOOTH SIDE OF PART
- 5) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED
- 6) BREAK ALL SHARP EDGES 0.005 TO 0.010 MAX
- 7) CHECK PER TEMPLATE DT8964

Copyright @ 2007 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.







NOTES:

- 1) MATERIAL: F60029 GREY LEXAN SHEET (HEAVY HAIRCELL TEXTURE), 0.125 THICK, TEXTURED SIDE UP (REF DART SPEC MLEXS.125-F60029-04)
- 2) FINISH: NONE
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) IDENTIFY WITH DART P/N "D3574-6" USING FINE POINT PERMANENT INK MARKER ON SMOOTH SIDE OF PART
- 5) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED
- 6) BREAK ALL SHARP EDGES 0.005 TO 0.010 MAX
- 7) CHECK PER TEMPLATE DT8965

Copyright © 2007 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

DART AEROSPACE LTD	Work Order:	38610
Description: CABIN FLOOP PROTECTOR	Part Number:	03574-2
Inspection Dwg: ()3(74-) Rev: A		Page 1 of 1

FIRST ARTICLE INSPECTION CHECKLIST

X First Article Prototype

Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	
Ø 3,00	100 510. 4	3,007	X			
737	100 £10. L 4030 - L	7.37	*			
11.00	4- 030	11.00	X			
26.21	4/- 030	1525	×			
78.2C	4/030	78.76	¥			
	4030	39.75	*			
44.75	t030	44.75	*			
[2.62	4030	53.51	*		·	
65.25		65.25	¥			
	t/- 030	10.75	-X			
	4030	14.75	*			
25.50	4- 030	75.50	*			
	7020	25.74	X			
26.00	4- ,030	26.00	*			
33.87	4630	32.87	*			
38.81	4- 630	38.81	*			
45.00	1- ,630	45.00	*			
47.75	1- 030	41.75	k l			
+ 8E,82		58.38 4	k [
4 26.12		61.25	•			
64.13		14.13 x	(
64.63 +		64.63	V		į	
MA						

					/	
Measured by:	B	Audited by:	>	Prototype Approval:	n/	
Date:	8-4-16	Date:	090417	Date:	19	

Rev	Date	Change	<u> </u>	Revised by	Approved
A		New Issue		KJ/JLM	



DART AEROSPACE LTD	Work Order:	38610
Description: CABIN FLOOR PROTECTOR	Part Number:	D3574~2
Inspection Dwg: \(\) \(\) \(\) \(\) \(\)		Page 1 of 1

FIRST ARTICLE INSPECTION CHECKLIST

X First Article Prototype

Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
7.50	4- ,030	7.50	*			
9.50	4- 00	9.50	*			
10.38	1/030	10.38	*			
10.88	4030	10.88	24			
14.50	t630	14.50	19			
	4- 030	16.56	8			
	4636	18.75	4			
	4 638	24.13	ðiş ,			
26.50	1/036	26.50	4			
	t/636	33.88	×			
	4- ,030	39.50	*			
40.75	t630	40.75	*			
43.50	t030	43.50	*			
46.60	1030	46.60	4			
7.63		7.63	*			
11.00	1030	11.00	*			
11.50	1-030	11.50	*			
16.75	1030	16.75	*			-
19.00 7		19.00	k .			-
59.50 T		95.00	× _			
30.757		30.75	*			
	-		`			
					·	

		·	
Measured by: 18	Audited by:	Prototype Approval:	ne/
Date: 8-4-16	Date: 08/04/7	Date:	14

			<u> </u>	
Rev	Date	Change	 Revised by	\pproved
A		New Issue	KJ/JLM	



DART AEROSPACE LTD	Work Order:	38610
Description: CABIN FLOOR PROTECTOR	Part Number:	D3574-2
Inspection Dwg:) 3574-2 Rev: A		Page 1 of 1

FIRST ARTICLE INSPECTION CHECKLIST

+i	X	First Artic	ele _	Proto	type	
Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
37.63	4/030	33,63			·	
37.75	4/030	32,75				· · · · · ·
35.13	4/- ,030	35,13				
36.50	1/030	36.50				,
40.00	t/030	40.06				
41.88	4030	41.88				
43.63	4- 1030	43.63				
-						
4		.				
						. ·
1						,
				į		
essured by: 18	Au	dited by:	3/-1/-	Prot	otype Approv	te:

				•		
Messured by:	1B	Audited by:	d	Prototype Approval:	u l	<u> </u>
Date:	8-4-16	Date:	00/04/7	Date:		9
					- · · · · ·	

Rev	Date	Change	Revised by	Approved
Д		New Issue	KJ/JLM	

